

## **Description**

### **Standar model**

#### **General Data**

Design

Werf

L.o.a

L.o.d.

Width

Draft

Displacement

Sail area

Engine

Certification

#### **Construction :**

Romp

Superstructure:

Stainless parts

stainless tanks

#### **Woodwork :**

Exterior :

OPTIONAL

Interior :

Conservation

#### **Technical :**

Engine

Centreboard control  
Electrics

Galley

Toilet  
Anchor

Instruments  
OPTIONAL

**Rigging :**

**General :**

OPTIONAL

**Price 2018**

## Wanderer 40

Fibreglass centreboard cutter , classic design

Martin Bekebrede

DTB / NAZ-schepen

13,10 m

12,10 m

3,95 m

0,85 / 2,25 m

12500 kg , ballast 3700 kg steel punchings embedded in polyester

92 m<sup>2</sup>

Nanni 50 Hp diesel

CE-A

hand layup GRP standard colours black or nightblue

underwater part is treated with Gelshield epoxy,

finished with International antifouling and white waterline

2x ships name and 1x homeport on vinyl included

ballast : steel pellets in bilge area , imbedded in GRP.

sandwich structure, plywood inlay , standard colour ivory

Other colours OPTIONAL

bollards, shroudsupports, rudderfittings, centreboard shaft, mastsupport

bowsprit withsupport, 4 portholes and 4 windowframes,

stainless pulpits and twin-wire railing, including 3 gates

Fresh water 500 L , Diesel 180 L , Wastewater 130 L

aluminium escape hatch

Entrance doors and sliding hatch : teak untreated

Flexiteek on cockpit seats and floor

varnishing / oiling OPTIONAL

teak wood , full teak decking

see interior plan :

Standard wood : beech or mahogany

OPTIONAL : cherry, maple or teak interior

### **Specifications :**

Inside of hull insulated with poly-urethane sheets against condensation

Ceilings, walls and bulkheads of GRP-plated plywood.

Floor of solid iroco on plywood.

Lockers, kitchen and furniture of marine plywood with beech /mahogany veneer lists, plints, worktops in solid beech/mahogany .

Toilet area has non-skid epoxy floor and waterproof bulkheads.

Exterior wood untreated , oil or varnish OPTIONAL

Interior : wooden parts varnished satingloss polyurethane

plywood parts painted off-white

Floor oiled.

Nanni 50 Hp diesel, stainless propshaft, brass propeller, panel and Morse control

Handhydraulic control : manual pump, cylinder and position indicator.

12V system : 80 Ah starter battery, 2x140Ah service battery, separation relay.

switch panel with fuses and switches ; tank level meters and voltmeter

Halogen lighting in ceilings, reading lamps (chrome / stainless)

3-colour/anchor light in mast, red/green in bow.

Bilge pumps : 2x electric bilge pump 2x manual pump

shore power connection with 35 A charger, cable and 4x 220V socket

gas cooker with oven

running water (hot and cold) in kitchen and toilet ; stainless sinks

coolbox 60 L with compressor, 80L electric refrigerator OPTIONAL

Manual pump toilet with odour filter, wastewater tank . Electric toilet OPTIONAL

Galvanised M-anchor 16 kg , anchor winch (manual or electric) , chain and chain locker

Standard : compass, logg/echosounder

radio / cd , solar panel, autohelm, GPS-plotter, VHF, windmeter, etc.

bow thruster 40 kgf, hot air heater Eberspächer 4 kW , etc.

**standard : cutter rig with aluminium mast and boom**

2x Harken St45.2 self-tailing winches for genoasheets, 2x St30.2 for jib sheets

1x St30.2 and 1x St 20 for mainsail and reef handling.

Stainless shrouds and spanners , stoppers on cabin roof

All halyards and sheets controlled from cockpit.

CE-A certificate and owners' manual

Matresses and cushions for seats with cover from standard collection

4 fenders , 3 mooring lines

Fire extinguishers : 1x foam, 1x powder

folding bathing ladder 6 steps

sprayhood, cockpit tent / cover, cockpit cushions cockpit table iroko or teak

see pricelist./ optionslist

standard boat : € 210.000,= excl. VAT delivered from factory